




Tnb industrial Partners Manufacturing...

KOYO J-88 Rodamientos De Agujas



Bearing No. J-88

J-88 Bearing 2D drawings and 3D CAD models

Size	12.700x17.463x12.70 mm
Bore Diameter	12.700 mm
Outer Diameter	17.463 mm
Width	12.70 mm
Fw	12.700 mm
D	17.463 mm
C	12.70 mm
Weight	0.007 Kg
Basic dynamic load rating (C)	6.32 kN
Basic static load rating (C0)	7.92 kN
(Grease) Lubrication Speed	16000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	2.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.007
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No



Tnb industrial Partners Manufacturing...

Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1/2" Bore; 11/16" Outside Diameter; 1/2" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rol
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	J-88
Weight / LBS	0.015
Bore	0.5 Inch 12.7 Millimeter
Width	0.5 Inch 12.7 Millimeter
Outside Diameter	0.688 Inch 17.475 Millimeter
Bearing No.	J-88
Y(max)	1.02
Cr	6.32
C0r	7.92
Cu	1.20
Grease lub.	16000
Oil lub.	25000
(Refer.) Mass(kg)	0.007



Tnb industrial Partners Manufacturing...

Mounting inner ring	
---------------------	--

	IRA-5
--	-------